



MEHR PETROCHEMICAL COMPANY LOW (MOLECULAR WEIGHT) POLYMER (LP) TECHNICAL DATA SHEET

LOW MOLECULAR WEIGHT ETHYLENE (LP)

PRODUCT DESCRIPTION

LP is the mixture of low molecular weight Polyethylene, Hexane, Oligomer and Water as by product of Polyethylene CX process.

TYPICAL APPLICATION

- ◆ Asphalt modification
- ◆ Hot melt road marking
- ◆ PVC additives
- ◆ Spray Coating
- ◆ Candles
- ◆ Color concentrate
- ◆ Corrugated board coating
- ◆ Emulsifier

PROPERTIES

Physical properties

Property	Test Method	Value	Unit
Physical Properties			
Viscosity	ISO 3219 @ 149°C	4 - 300	CP
Density	ISO 1183-2	0.90- 0.94	g/cm3
Melting Point	ASTM D 2117	85 - 115	°C
Whiteness Index	ASTM E313	≥45	-

Product Technical Assistance

For technical assistance or further information on this product contact MHPC technical team at the address or telephone number as specified below.

Low Polymer

PRODUCT AVAILABLE FORM AND PACKAGING

- ◆ Flake
- ◆ Big bag with specified weight

STORAGE

- ◆ Store in original container in tidy according to the manual of Handling and Storage from Mehr Petrochemical Company .
- ◆ Product(s) should be stored in dry and dust free location at temperature below 50°C and protected from direct sunlight and/or heat, well-ventilated area, away from incompatible materials and food and drink, as this may lead to quality deterioration, which results in odor generation and color changes and can have negative effects on the physical properties of this product.
- ◆ Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination
- ◆ The storage area should be stable and not be slopped.



MEHR PETROCHEMICAL COMPANY LOW (MOLECULAR WEIGHT) POLYMER (LP) TECHNICAL DATA SHEET

SAFETY

- ◆ The product is not classified as a hazardous material.
- ◆ Please see our Material Safety Data Sheet for details on various aspects of safety, recovery, and disposal of the products;
- ◆ For more information, contact Mehr Petrochemical company technical service.

RECYCLING

- ◆ The product is suitable for recycling using modern methods of shredding and cleaning. In-house production waste should be kept clean to facilitate direct recycling
- ◆ Please see our Material Safety Data Sheet for details on various aspects of safety, recovery, and disposal of the products.
- ◆ For more information, contact Mehr Petrochemical company technical service.

RELATED DOCUMENTS

The following related documents are available on request, and represent various aspects on the usability, safety, recovery and disposal of the product.

- ◆ Material Safety Data Sheet

DISCLAIMER

- ◆ The product can be used only for the application as specified hereabove.
- ◆ To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication, however we do not assume any liability whatsoever for the accuracy and completeness of such information
- ◆ We make no warranties which extend beyond the description contained herein. Nothing herein shall constitute any implied warranty of merchantability or fitness for a particular purpose
- ◆ It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our product.
- ◆ No liability can be accepted in respect of the use of our products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials